

#### Like our products?

Please show your support by writing a product review on the marketplace where you make your purchase. Even just a quick statement means a lot to us.

Thank you!

# iSpringFilter.com



Scan to get your FREE warranty
For questions, comments, or technical support, please contact us at:

+1 (678) 261-7611

+1 (470) 560-0012

Monday-Friday 8:30 a.m. - 5:30 p.m. EST

Water's Good®


# iSpring DGF2 Insulated Gravity Feed Filtration System Ver. 02/2023

### Specification

| Model Name             | DGF2   |
|------------------------|--|
| Dimensions (L x W x H) | 10.2 x 10.2 x 20.3 (inch)  |
| Single Chamber Volume  | 3.17 gal. (12 L)   |
| Filter Flow Rate       | Up to 0.05 GPM   |
| Material               | 304 Stainless Steel  |
| Contents               | Lid, Upper & Lower Chambers,<br>Filters, Spigot, Silicone Pad, Base,<br>Assembly Accessories, Manual |

#### Parts

- 1. Lid with Handle
- 2. Upper Chamber
- 3. Filters
- 4. Filter locking Nuts
- 5. Lower Chamber
- 6. Spigot
- 7. Stainless Steel Washers
- 8. Silicone Washers
- 9. Spigot Nut
- 10. Silicone Pad
- 11. Base
- 12. Screw



### Assembly Instruction

- **STEP 1.** Wash hands before proceeding to ensure that the filtration system components won't be contaminated during assembly.
- **STEP 2.** Unpack and verify that all accessories are present. Remove the parts from their protective packaging.
- STEP 3. Take out the lower chamber, and install the spigot on the opening of the lower chamber:


  Insert the end of the spigot with one silicone washer and a stainless steel washer into the opening outside the chamber. Slip on another silicone washer and stainless steel washer on the inner of the chamber, and secure it through the nut.
- STEP 4. Take out the filters, remove the locking nut on the thread, place the threaded filter vertically into the hole in the bottom of the upper chamber, and lock the filter by screwing back the locking nut to the threaded mount. Repeat until all filters are installed.

  Notes: Moderately tighten, do not overtighten locking nuts.
- STEP 5. Take out the base, insert the center grooves into each other at 90°, and then fasten the provided screws in the center hole to secure it.
- STEP 6. Place the base, install the silicone pad on the bottom of the lower chamber and place it in the center of the base, then place the upper chamber onto the lower chamber, and finally, pour source water into the upper chamber (the filtration chamber), and place the lid to cover the top. Soon you can enjoy pure water coming out from the spigot!

Note: Each set of filter is designed to treat up to 6000 gallons of water. To preserve the filters when not in use, remove the filters from the chamber, let dry and place the filters in a sealed zipper bag, then keep the zipper bag refrigerated. Replace the filters at least once per year.



Any questions? Scan the QR code for support.



### iSpring Standard Limited Warranty (End-Users Only)

# In order to be eligible for this warranty, the end-user must register at www.123filter.com.

For all water filtration systems, and upon registration by the end-user, iSpring Water Systems, LLC (iSpring) warrants for a one year from the date of purchase that the product is free of defects in materials and workmanship and that it will function for the duration of the warranty according to its specifications (the "Limited Warranty"). EXCEPT FOR THIS LIMITED WARRANTY, ISPRING EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING ANY WARRANTIES OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. iSpring has no liability for any defect or deterioration which results from the improper installation, service, repair or use of the product. End-user's sole and exclusive remedy for any breach of the Limited Warranty shall be repair or replacement, at iSpring's option and expense. This warranty is only provided to end-users and only applies to products purchased directly from an authorized iSpring dealer or reseller.

However, we do not have the order information from websites other than 123Filter.com (Amazon, Home Depot, etc.), so please be sure to fill in that information upon registration of your system. If you have any questions or concerns about your product, please do not hesitate to call or email us, or put it in the notes/comments upon your warranty registration. Your satisfaction is our business!

If you are happy with our products and service, please show your support by writing a product review, even just a single line. It takes you just a minute but means a lot to us. Thank you!